

miho David 2

Empty Bottle Inspector

miho Inspektionssysteme



Complete inspection of the empty bottle between the washing machine and filler:
base, finish, thread, sidewall, ...

- Individually configurable
- Latest computer technology on the platform miho VIDIOS®
- Up to 72 000 bottles per hour
- Installed 500 times worldwide
- Hygienic design
- Innovation: miho FSI, miho OpAL, miho AIM
- Optimized energy efficiency
- Spare parts supply for at least 15 years

made
 in
 Germany



List of contents

1	Product overview	4
2	Basic machine	6
	2.1 Basic machine Advanced	6
	2.2 Basic machine Eco	7
	2.3 Base inspection	8
	2.4 Sealing surfaces inspection	9
	2.5 Network integration and production data acquisition miho AWes	10
	2.6 Remote maintenance	11
3	Sidewall inspection	12
	3.1 Dual sidewall inspection with miho OpAL	14
	3.2 Standard sidewall inspection	15
	3.3 Dual sidewall inspection with finish side inspection miho FSI	16
	3.4 Blowing device for the finish area for glass bottles	17
	3.5 Blowing device for the finish area for PET bottles miho Bottle Dryer	17
4	Automatic self-monitoring of the base inspection miho AIM	18
5	Upgrade modules	20
	5.1 Inner sidewall inspection	20
	5.2 Standard thread inspection	20
	5.3 Extension of visual angle for the base inspection	21
	5.4 UV Filter detection of bottles	21
	5.5 Automatic adjustment when changing bottle type	21
	5.6 Undervoltage supply	22
	5.7 Separate computer for production data acquisition miho AWes	22
	5.8 Separate viewer	23
	5.9 Safety cabinet	23
6	miho infeed control systems	24
7	miho reject systems	26
8	miho Pascal / miho Conveyance	28
9	Examples of bottling plants	30
10	Technical data	36

The miho David 2

and the machines at the infeed and outfeed

